

Village of Springville
5 West Main Street
Springville, N.Y. 14141-0017

November 4, 2019

7:00 P.M.

BY MOTION OF:

NOTES

1. CALL TO ORDER

2. PLEDGE OF ALLEGIANCE

3. MINUTES FROM MEETINGS

Regular Meeting Minutes of October 21, 2019 **A.1**

Executive Session Minutes of October 21, 2019 **A.2**

4. PUBLIC COMMENT

5. DEPARTMENT REPORTS

A. ADMINISTRATOR **A.3**

- 19/20 unpaid Village tax relevy
- 19-22 EC Snow & Ice Control Contract
- Terminate Dispatcher Adam Tillinghast
- Parking Ban

B. SUPERINTENDENT'S REPORT **A.4**

Reports

- Well #1
- North St. Substation CCTV
- NYPA tree replacement program
- NYMPA Semi-Annual meeting report

Resolutions

- L2 Engineering DPC Annual Sewer report approval
- Underground Conduit for Primary Service Policy approval

C. POLICE

D. FIRE DEPARTMENT

E. BUILDING INSPECTOR/CEO

F. CONTROL CENTER

6. NEW BUSINESS

7. OLD BUSINESS

8. BILLS

9. CONSENT AGENDA

10. VILLAGE ATTORNEY REPORT

11. TRUSTEE NOTES & PROJECT REPORT

12. EXECUTIVE SESSION

13. ADJOURN

DRAFT

ATTACHMENT NO. A1

VILLAGE OF SPRINGVILLE
2019 MINUTES

AGENDA DATE 11/4/19

October 21, 2019

7:00 P. M.

The Regular Meeting of the Trustees of the Village of Springville was held at the Village Municipal Building, 65 Franklin Street, Springville, New York at the above date and time.

Present were:

Mayor	William J. Krebs
Trustees	Alan Chamberlin Kim Pazzuti Elise Rose Nils Wikman
Village Administrator	Liz C. Melock
Village Attorney	Paul Weiss
Superintendent of Public Works	Ken Kostowniak
Police Officer in Charge	Nicholas Budney
Deputy Clerk	Holly Murtiff
Also Attending	Max Borsuk, Springville Journal Kellen Quigley, Springville Times Karen Howard, Sen. Gallivan's office Mykala Furman, SGI Madison LoTempio, SGI
Absent	Marc Gentner, Fire Chief

Mayor Krebs called the meeting to order at 7:00 PM.

- 1. Minutes Minutes of the Regular Meeting of October 7, 2019 were approved as written by Trustee Chamberlin, seconded by Trustee Wikman; carried, Mayor Krebs, Trustees Chamberlin, Wikman, Pazzuti and Rose voting yes, none opposed.

PUBLIC COMMENT

There was no public comment this evening.

DEPARTMENT REPORTS

ADMINISTRATOR REPORT

- 2. CDBG Resolution After explanation by Administrator Melock, motion was made by Trustee Wikman, seconded by Trustee Chamberlin; carried, Mayor Krebs, Trustees Wikman, Chamberlin, Pazzuti and Rose voting yes, none opposed to authorizing Mayor Krebs to sign, submit and execute a contract with Erie County Development Block Grant Program for the following projects, upon approval of the Erie County Community Development. Projects in order of importance are;
 1. North Central Ave. Water Main Replacement Project – Estimated cost \$446,430
 2. Support for Rural Transit Services, Inc.

DRAFT

October 21, 2019

Page (3)

3. Budget Modification Motion was made by Trustee Wikman, seconded by Trustee Chamberlin; carried, Mayor Krebs, Trustees Wikman, Chamberlin, Pazzuti and Rose voting yes, none opposed to Modify Budget 19-20– due to receiving STOP DWI grants. Increase Police Expense Labor line 3120-0100 by \$872 and Increase State Aid – Home & Community line 3989-001 by \$872 for the STOP DWI grants received by the police dept. for road details.

Administrator Melock reported on the following;

- The winter parking ban will be in effect November 10 – April 1
- The Village election will be held on March 18, 2020, advertisements will be in all three local papers.

SUPERINTENDENT REPORT

4. Dumpster Request Motion was made by Trustee Wikman, seconded by Trustee Chamberlin; carried, Mayor Krebs, Trustees Wikman, Chamberlin, Pazzuti and Rose voting yes, none opposed to approving a temporary dumpster being placed in the municipal parking lot directly behind The Legacy Restaurant. All the parking spaces in the driveway area off of S. Buffalo St. behind The Legacy will be coned off by DPW while the dumpster is there. The dumpster will only be allowed to remain in the parking spots up to 14 days.
5. BCH Developers' Agreement Motion was made by Trustee Wikman, seconded by Trustee Chamberlin; carried, Mayor Krebs, Trustees Wikman, Chamberlin, Pazzuti and Rose voting yes, none opposed to authorizing Mayor Krebs to sign developer's agreement with Bertand Chaffee Hospital to construct service connections for a Medical Arts facility upon approval of Village attorney and Village Administrator. Agreement clarifies Village, ECDOH and NYDEC requirements to construct utility connections for water, sanitary sewer and electric services.
6. Pedestrian Crosswalk Striping Motion was made by Trustee Chamberlin, seconded by Trustee Rose; carried, Mayor Krebs, Trustees Chamberlin, Rose, Pazzuti and Wikman voting yes, none opposed to approving installing crosswalk stripping and signage at Pop Warner Rail Trail crossings on Franklin Street, Eaton Street and North Central to enhance pedestrian safety.
7. Partnering TAP Grant Superintendent Kostowniak informed the Board that Erie County Director of Energy and Management inquired if the Village would be interested in partnering or supporting a TAP grant application with SGI for electric school bus program. Purpose of the grant is it might be a way to upgrade grid infrastructure, provide a measure of grid resiliency, provide zero-emission transportation and get the infrastructure set up for future electrification of the school transportation. The grant should take the edge off of the premium for electric buses and the associated upgrades. Will plan a meeting to discuss application and collect more information with SGI & EC since the Village Board has interest.

POLICE DEPARTMENT

Officer in Charge Budney informed everyone that the annual Shop with a Cop will be on December 14th this year.

FIRE REPORT

There was no fire report this evening.

DRAFT

October 21, 2019

Page (4)

BUILDING INSPECTOR/CEO

BI/CEO Kaleta informed everyone on the following;

- Urgent Care facility on S. Cascade Dr. public hearings are scheduled.
- A request for a use variance has been received for a used car lot at 106 North St.

CONTROL CENTER

The September 2019 Control Center report has been received and filed.

8. Dispatcher Recommendation Upon the recommendation of Trustee Chamberlin, motion was made by Trustee Chamberlin, seconded by Trustee Pazzuti; carried, Mayor Krebs, Trustees Chamberlin, Pazzuti, Rose and Wikman voting yes, none opposed to approving Adam Tillinghast as a per diem dispatcher to the Springville area Control Center.

NEW BUSINESS

There was no New Business to discuss this evening.

OLD BUSINESS

There was no Old Business to discuss this evening.

BILLS

Bills, as examined by members of the Board of Trustees were approved for payment in accordance with Abstracts #109 through #123 total of \$393,471.03 of 2019/2020 for the General, Water/Sewer, Electric, Trust and Agency Funds by motion of Trustee Wikman, seconded by Trustee Rose; carried, Mayor Krebs, Trustees Wikman, Rose, Chamberlin and Pazzuti voting yes, none opposed.

CONSENT AGENDA

Motion was made by Trustee Wikman, seconded by Trustee Chamberlin; carried, Mayor Krebs, Trustees Wikman, Chamberlin, Rose and Pazzuti voting yes, none opposed to accept the consent agenda below.

PROJECT: 0000008985 - ROOFING PROPERTY: 17 PARK ST ISSUED DATE: 10/03/2019 ISSUED TO: MAPLE GUY CONSTRUCTION 6649 BOSTON STATE RD HAMBURG, NY 14075	TYPE: ROOF
PROJECT: 0000008986 - UTILITY CHANGES-PLUMBING PROPERTY: 26 COCHRAN AVE ISSUED DATE: 10/04/2019 ISSUED TO: GENTNER, LESLIE 26 GLEN ST. SPRINGVILLE, NY 14141	TYPE: PLUMBING
PROJECT: 0000008987 - PLUMBING PERMIT PROPERTY: 333 E MAIN ST ISSUED DATE: 10/08/2019 ISSUED TO: NEAMON, WILLIAM 333 E MAIN ST SPRINGVILLE, NY 14141	TYPE: PLUMBING

DRAFT

October 21, 2019
Page (4)

PROJECT: 000008988 - DRIVEWAY
PROPERTY: 35 WHITE ST
ISSUED DATE: 10/08/2019
ISSUED TO: LEAVELL, JEFFREY
35 WHITE ST.
SPRINGVILLE, NY 14141
TYPE: DRIVEWAY

PROJECT: 000008989 - UTILITY CHANGES-PLUMBING
PROPERTY: 131 WAVERLY ST
ISSUED DATE: 10/08/2019
ISSUED TO: SHUFELT, KRISTINA
131 WAVERLY ST.
SPRINGVILLE, NY 14141
TYPE: PLUMBING

PROJECT: 000008990 - EVENT
PROPERTY: 38 FRANKLIN
ISSUED DATE: 10/07/2019
ISSUED TO: WESLEYAN CHURCH OF HAMBURG
PO BOX 96
SPRINGVILLE, NY 14141
TYPE: EVENT

PROJECT: 000008991 - UTILITY CHANGES-PLUMBING
PROPERTY: 39 PINEWOOD DR
ISSUED DATE: 10/08/2019
ISSUED TO: PERKINS, REVERE D
39 PINEWOOD DR.
SPRINGVILLE, NY 14141
TYPE: PLUMBING

PROJECT: 000008992 - UTILITY CHANGES-PLUMBING
PROPERTY: 193 WAVERLY ST
ISSUED DATE: 10/08/2019
ISSUED TO: ANDRADE, TIMOTHY E
193 WAVERLY ST
SPRINGVILLE, NY 14141
TYPE: PLUMBING

PROJECT: 000008993 - PLANNING BOARD REVIEW
PROPERTY: 225 S CASCADE DR
ISSUED DATE: 10/16/2019
ISSUED TO: ROOSA FAMILY ASSOCIATES
ROOSA FAMILY ASSOCIATES
PO BOX 67
SALAMANCA, NY 14779
TYPE: PLANNING
BOARDREVIEW

PROJECT: 000008994 - FENCES
PROPERTY: 41 SPRING ST
ISSUED DATE: 10/16/2019
ISSUED TO: CAPPON, MORGAN
41 SPRING ST
SPRINGVILLE, NY 14141
TYPE: FENCES

VILLAGE ATTORNEY REPORT

Village Attorney Paul Weiss had nothing to report in regular session this evening.

DRAFT

October 21, 2019
Page (5)

TRUSTEE NOTES & PROJECT REPORTS

Trustee Chamberlin had nothing to report this evening.

Trustee Rose had nothing to report this evening.

Trustee Wikman had nothing to report this evening.

Trustee Pazzuti commented on the SVFD Open House that was held recently.

Mayor Krebs discussed the following;

- He is in receipt of a letter from a resident regarding the need for a three way stop sign on Myrtle Ave. The SPD will assess the situation there and report back.
- There will be a public hearing in E. Aurora on November 4th regarding the request by the owners of Dygert Farms on Mill St. to be classified as an agricultural district.
- AIM funding update

9. Executive Session Motion was made by Trustee Chamberlin, seconded by Trustee Wikman; carried, Mayor Krebs, Trustees Chamberlin, Wikman, Rose and Pazzuti voting yes, none opposed to adjourn to Executive Session at 7:25 pm to discuss legal strategies on the following;
- Town of Sardinia vs. Village of Springville
 - Weber vs. Village of Springville
10. Sardinia vs. Springville After return from Executive Session, motion was made by Trustee Wikman, seconded by Trustee Chamberlin; carried, Mayor Krebs, Trustees Wikman, Chamberlin, Pazzuti and Rose voting yes, none opposed to authorizing Village Attorney Paul Weiss to resolve the lawsuit, Town of Sardinia vs. Village of Springville.
11. Adjourn Motion was made by Trustee Wikman, seconded by Trustee Chamberlin; carried, Mayor Krebs, Trustees Wikman, Chamberlin, Pazzuti and Rose voting yes, none opposed to adjourn the Regular Session at 7:48 pm.

Respectfully submitted,

Holly Murtiff
Deputy Clerk

DRAFT

ATTACHMENT NO. A2

VILLAGE OF SPRINGVILLE
2019 MINUTES

AGENDA DATE 11/4/19

October 21, 2019

7:25 PM

An Executive Session of the Trustees of the Village of Springville was held at the Village Municipal Building, 65 Franklin Street, Springville, New York at the above date and time. Present were:

Mayor	William J. Krebs
Trustees	Alan Chamberlin Elise Rose Kim Pazzuti Nils Wikman
Village Administrator	Elizabeth Melock
Village Attorney	Paul Weiss
BI/CEO	Michael Kaleta (excused at 7:31pm)
Deputy Clerk	Holly Murtiff

1. Weber vs. Springville Those attending discussed legal strategies regarding the Weber vs. Village of Springville case.

BI/CEO Kaleta was dismissed at this time.
2. Sardinia vs. Springville Those attending discussed legal strategies regarding the Town of Sardinia vs. Village of Springville case.
3. Adjourn Motion was made by Trustee Chamberlin, seconded by Trustee Wikman; carried, Mayor Krebs, Trustees Chamberlin, Wikman, Pazzuti and Rose voting yes, none opposed to adjourn to Regular Meeting at 7:47 pm.

Respectfully submitted,

Holly Murtiff
Deputy Clerk

ATTACHMENT NO. A3
AGENDA DATE 11/4/19

Board Meeting 11/4/19

1. Return Unpaid Taxes to Erie County. To be distributed at meeting.
2. Authorize Mayor to Sign 2019-2022 EC Intermunicipal Snow Removal & Ice Control Agreement. See attached resolution.
3. Terminate police dispatcher PT appointment of Adam Tillinghast.

Discussion:

1. Parking Ban starts Nov 10-April 1 from 2 am until 7 am. Ad in all papers.

Authorization for Mayor to Sign Erie County 2019-2022 Intermunicipal Snow Removal & Ice Control Agreement

WHEREAS, the County has contracted with local towns in Erie County for many years to provide ice and snow control on County owned roads and facilities during the snow season; and

WHEREAS, the said agreements will expired on August 31, 2019; and

WHEREAS, the County of Erie negotiated and entered into three (3) year agreements with local municipalities for the control of snow and ice on County roads by towns and incorporated villages for snow seasons 2019-2022; and

WHEREAS, it would be in the best interests of Erie County to execute an agreement at a lane mile reimbursement rate increasing three and half (3.5%) percent each year for the first two years and three percent (3%) the third year, ending August 31, 2022, and representatives of the affected municipalities have agreed to terms with the County.

WHEREAS, the County Legislature has adopted this agreement through their resolution on July 25, 2019,

NOW, THEREFORE, BE IT

RESOLVED, that the Village of Springville hereby authorizes Mayor William J Krebs to sign and execute the new Snow and Ice Control Agreement as presented by Erie County Commissioner William Geary at a lane mile reimbursement rate as stated below:

September 1, 2019 through August 31, 2020	\$4,193.37 per lane mile
September 1, 2020 through August 31, 2021	\$4,340.14 per lane mile
September 1, 2021 through August 31, 2022	\$4,470.34 per lane mile

VILLAGE OF SPRINGVILLE
DEPARTMENT OF PUBLIC WORKS
Kenneth W. Kostowniak
Superintendent of Public Works
kkostowniak@villageofspringvilleny.com

ATTACHMENT NO.

A4

AGENDA DATE

11/4/19

Superintendent Report for November 4, 2019

Report:

Well#1 casing has been installed and the building addition construction has begun.

North Street Substation CCTV's have been tested good, and new fusing and protection parts are ordered. Our technical consultant still troubleshooting and testing some control boards for integrity.

37 trees have been delivered to Village residents as part of the NYPA tree replacement program. ~11 were planted along Woodward Avenue.

Sewer Resolution:

Recommend resolution to authorize mayor to accept proposal from L2 Engineering DPC to prepare annual sanitary sewer report in the amount of \$4,250.00 and submit to NYDEC Annual report must be submitted to NYDEC.

Electric Report:

Attended NYMPA semi-annual meeting, voted on annual budget.

Electric Resolution:

Recommend resolution to adopt Policy for standards pertaining to installation of underground conduit for primary service. Policy will set standard construction installation requirements to be provided by Village Electric Division to new applicants for electric service. These requirements are National Electric Code and NESC (National Electric Safety Code) compliant.

See attachment "Policy".

VILLAGE OF SPRINGVILLE ELECTRIC DIVISION

REQUIREMENTS FOR UNDERGROUND PRIMARY
SERVICES TO
COMMERCIAL/INDUSTRIAL PADMOUNT
TRANSFORMERS USING SECONDARY METERING

Customer Name: _____

Customer Address: _____

PHONE # _____

ELECTRICIAN NAME: _____

PHONE # _____

51 Nason Blvd. Springville, NY 14141—0017
PHONE: 716-592-4936 X1356 FAX: 716-592-0390

CUSTOMER RESPONSIBILITIES

1. All primary cable shall be installed in conduit. No direct burial will be allowed.
2. The customer shall provide and install all conduit required for the primary circuit from the padmount transformer to a point on the pole designated by the Springville Electric Division. The customer shall consult with the Springville Electric Division to determine an approved path for the primary circuit. If other utilities will be installed in the trench, the coordination between utilities will be established by a meeting between the utilities.
3. The customer is responsible for contacting DSNY (1-800-962-7962) prior to digging to avoid any buried utilities.
4. The conduit shall be installed in accordance with the following requirements:
 - Primary conduits shall be supplied and installed by the owner's contractor in accordance with these specifications. All primary conduit installations shall be inspected by the Village of Springville prior to backfilling trenched.
 - The primary conduits shall be 4" Schedule 80PVC with the exception that all 90° and 45° bends shall be long radius. Some installations may allow the use of Schedule 40 PVC and/or conduit less than 4" – consult with the Springville Electric Division to determine whether Schedule 40 and/or conduit less than 4" can be used. The primary conduits shall be installed to the depth required to properly terminate the conduits at the transformer foundation with a minimum depth of 36" below grade as measured from grade to the top surface of the conduit. Bell ends shall be provided at padmount end if primary conduit. A spare identically sized conduit shall be installed parallel to the in-service conduit with a minimum of 4" between the spare conduit and the service conduit. The primary conduit shall be concrete encased.
 - At the riser pole, the spare conduit shall be capped at ground level. The in-service conduit at the riser pole shall be rigid galvanized conduit from below grade to 10' above grade. A conduit ground-bonding clamp shall be installed at the base of the rigid conduit at the pole. A weatherhead and sufficient conduit to reach primary area on pole shall be provided along with two 2-hole straps and 4 lags for each 10-foot length of conduit on the pole. The exact location of the conduit will be specified during the site visit by the owner's contractor with the Village of Springville Electric Division.
 - The maximum change of direction in any plane between lengths of straight conduit without the use of bends shall be limited to 5 degrees.
 - The bottom of trenches shall be undisturbed, tamped or smooth earth. Where the excavation is in rock, the conduit shall be laid on a protective layer of clean tamped backfill. All backfill within 6" of the conduit shall be free of solid material greater than 4" in maximum dimension or with sharp edges likely to damage the conduit. The balance of backfill shall be free of solid material greater than 8" in maximum dimension. Backfill material shall be adequately compacted.

- Trench Inspection: When the trench is ready for backfill, the contractor must call the Springville Electric Division (592-4936 x1356) and request a trench inspection. A minimum of 24 hours' notice must be given to schedule a trench inspection. If the trench is backfilled without inspection by the Springville Electric Division, the service will be rejected and will not be connected until it has been re-trenched and inspected as described above.
 - All conduits shall be joined in a manner sufficient to prevent solid matter from entering the conduit line. Joints shall form a sufficiently continuous smooth interior surface between joining conduit sections so that supply cable will not be damaged when pulled past the joint.
 - Conduit pull lines shall be installed in each primary conduit (spare and in-service). The pull lines shall be poly lines with a minimum average breaking strength of 200 lbs. (Greenlee #430 equivalent).
 - Manholes may be required depending on the details of the installation. The customer shall consult with the Springville Electric Division to determine the need for manholes and the manhole specifications.
5. The transformer ground grid shall be provided and installed in accordance with the following requirements.
- A ground grid shall be supplied and installed by the owner's contractor at the transformer. The ground grid shall consist of four 8' x 5/8" copper-clad ground rods, driven to below grade, with each rod located one foot outside the corners of the foundation, connected with a continuous loop of 1/0 stranded bare copper. All ground grid connections shall be exothermic (e.g. CadWeld and/or wrench lock). Two tails of 1/0 stranded bare copper shall be extended from the ground loop to the transformer cable compartments (one to the high voltage side, and one to the low voltage side) with sufficient length to extend 3 feet above the top surface of the foundation. The ground grid shall be inspected by the Village of Springville Electric Division prior to backfilling over the grounding conductors. If the grounding is backfilled prior to inspection, the service will be rejected and the ground grid must then be uncovered and inspected.
6. The transformer foundation shall be installed in accordance with the following requirements.
- The Village of Springville will supply the transformer foundation. The foundation shall be installed by the owner's contractor. The foundation shall be installed on a 6" thick bed of crushed and compacted stone. The foundation shall be installed such that the top of the foundation is 6" above final grade. Protective bollards may be required depending on the installation details. The customer shall consult with the Springville Electric Division to determine the need for bollards.

7. The following requirements apply to the secondary cables and terminations on both single-phase and three-phase padmount transformers.
 - The secondary cable shall be supplied and installed by the owner's contractor. The Village of Springville will perform the work at the transformer to crimp the terminations and to bolt the terminations to the bushings. The Village of Springville will provide the secondary terminations and hardware and will bill the customer for the hardware costs, unless otherwise specified.
8. The service shall be successfully inspected prior to energizing the service. The Village will supply an acceptable third-party electrical inspectors list.
9. The customer or the customer's contractor must be present at the time the service is energized.
10. The customer shall provide in writing a listing of the electrical loads (including the KW ratings).

NOTE: All disconnects and reconnects will be done by village personnel, unless contractor or property owner has prior approval from the Springville Electric Department.

VILLAGE OF SPRINGVILLE RESPONSIBILITIES

1. The Village will provide and install the meter.
2. The meter channel box is to be supplied and installed by the customer on all metering installations. (MILBANK UC7445-RL)
3. Meter box will be installed on the Transformer by the Village.
4. The Village will provide and install any required metering instrument transformers.
5. The Village will provide, install and terminate the primary high voltage cable; with customer to pay for anything over 300ft.
6. The Village will provide and install the padmount transformer.
7. The Village will supply the transformer foundation to the customer.

8. The Village will terminate the secondary cables at the transformer bushings. The Electrical contractor/owner will provide the two-hole lugs to the Village of Springville.
9. After receipt of documentation showing the successful inspection, the Village of Springville will energize the service.
10. All three-phase installations will be coordinated with the Village Electric Division.

REVISED: September, 2019

VILLAGE OF
SPRINGVILLE
November 4, 2019
Page 1
CONSENT AGENDA

PROJECT: 0000008995 - FENCES
PROPERTY: 56 MILL ST
ISSUED DATE: 10/17/2019
ISSUED TO: BURSEE, CHERYL
14569 SCOBY HILL ROAD
SPRINGVILLE, NY 14141

TYPE: FENCES

PROJECT: 0000008996 - SHEDS, UP TO 144 SQ.FT.
PROPERTY: 180 N BUFFALO ST
ISSUED DATE: 10/17/2019
ISSUED TO: VOIT, PAULETTE
180 N BUFFALO ST
SPRINGVILLE, NY 14141

TYPE: SHEDS

PROJECT: 0000008997 - MULTIPLE RESIDENCE
PROPERTY: 12 W MAIN ST
ISSUED DATE: 10/17/2019
ISSUED TO: CRAFTY SITUATIONS LLC
PO BOX 175
CONESUS, NY 14435

TYPE: MULTIPLE RESIDENCE

PROJECT: 0000008998 - ROOFING
PROPERTY: 87 PEARL ST GAR
ISSUED DATE: 10/18/2019
ISSUED TO: GLASE, JOHN JR
11332 SPRINGVILLE BOSTON RD
EAST CONCORD, NY 14055

TYPE: ROOF

PROJECT: 0000008999 - ROOFING
PROPERTY: 65 SPRING ST
ISSUED DATE: 10/22/2019
ISSUED TO: CROW TOP ENTERPRISE
90 NORTH BUFFALO ST-UPPER
SPRINGVILLE, NY 14141

TYPE: ROOF

PROJECT: 0000009000 - UTILITY CHANGES
PROPERTY: 30 NASON BLVD
ISSUED DATE: 10/22/2019
ISSUED TO: VILLAGE OF SPRINGVILLE
P.O. BOX 17
SPRINGVILLE, NY 14141

TYPE: UTILITY CHANGES

PROJECT: 0000009001 - NONRES NONSTRUCTURAL
PROPERTY: 100 S CASCADE DR
ISSUED DATE: 10/22/2019
ISSUED TO: BLUE RHINO/FERRELLGAS
655 ELLICOTT STREET
BATAVIA, NY 14020

TYPE: NONRES
NONSTRUCTURAL

VILLAGE OF
SPRINGVILLE
November 4, 2019
Page 1
CONSENT AGENDA

PROJECT: 000009009 - ROOFING
PROPERTY: 62 WOODWARD AVE
ISSUED DATE: 10/29/2019
ISSUED TO: GD FULLER CONTRACTION, LLC
4106 MAIN STREET
SCIO, NY 14880

TYPE: ROOF